

University of Groningen

Mechanics of the mannitol transporter from Escherichia coli

Veldhuis, Gertjan

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2006

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Veldhuis, G. (2006). *Mechanics of the mannitol transporter from Escherichia coli: substrate-probing and oligomeric structure*. [Thesis fully internal (DIV), Groningen]. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- AB, E., Schuurman-Wolters, G.K., Nijlant, D., Dijkstra, K., Saier, M.H., Robillard, G.T., and R.M. Scheek. 2001. NMR structure of cysteinyl-phosphorylated enzyme IIB of the *N,N'*-diacetylchitobiose specific phosphoenolpyruvate-dependent phosphotransferase system of *Escherichia coli*. *J. Mol. Biol.* **308**, 993-1009
- AB, E., Schuurman-Wolters, G.K., Reizer, J., Saier, M.H., Dijkstra, K., Scheek, R.M., and G.T. Robillard. 1997. Enzyme IIB^{chb} of the PEP-dependent phosphotransferase system of *Escherichia coli*: side-chain assignment and three dimensional structure determined by NMR spectroscopy. *Protein Sci.* **6**, 304-314
- Abramson, J., Smirnova, I., Kasho, V., Verner, G., Kaback, H.R., and S. Iwata. 2003. Structure and mechanism of the lactose permease of *Escherichia coli*. *Science* **301**, 610-615
- Ambudkar, S.V., Anantharam, V., and P.C. Maloney. 1990. UhpT, the sugar phosphate antiporter of *Escherichia coli*, functions as a monomer. *J. Biol. Chem.* **265**, 12287-12292
- Ames, G.F.L., Liu, C.E., Joshi, A.K., and K. Nikaido. 1996. Liganded and unliganded receptors interact with equal affinity with the membrane complex of periplasmic permeases, a subfamily of traffic ATPases. *J. Biol. Chem.* **271**, 14264-14270
- André, I., and S. Linse. 2002. Measurements of Ca²⁺-binding constants of proteins and presentation of the CaLigator software, *Anal. Biochem.* 305:195-205
- Aragón, S.R., and R. Pecora. 1976. Fluorescence correlation spectroscopy as a probe of molecular dynamics. *J. Chem. Phys.* **64**, 1791-1803
- Ball, W.P., and P.V. Roberts. 1991. Long-term sorption of halogenated organic chemicals by aquifer material. 1. Equilibrium. *Environ. Sci. Technol.* **25**, 1223-1237
- Bartlett, S.E., and M.T. Smith. 1995. The apparent affinity of morphine-3-glucuronide at μ_1 -opoid receptors results from morphine contamination: demonstration using HPLC and radioligand binding. *Life Sciences* **57**, 609-615
- Boer, H., Ten Hoeve-Duurkens, R.H., Lolkema, J.S., and G.T. Robillard. 1995. Phosphorylation site mutants of the mannitol transport protein EnzymeI^{mtl} of *Escherichia coli*: studies on the interaction between the mannitol translocating C-domain and the phosphorylation site on the energy coupling B-domain. *Biochemistry* **34**, 3239-3247
- Boer, H., Ten Hoeve-Duurkens, R.H., and G.T. Robillard. 1996. Relation between the oligomerization state and the transport and phosphorylation function of the *Escherichia coli* mannitol transport protein: interaction between mannitol-specific enzyme II monomers studied by complementation of inactive site-directed mutants. *Biochemistry* **35**, 12901-12908
- Boer, H., Ten Hoeve-Duurkens, R.H., Schuurman-Wolters, G.K., Dijkstra, A., and G.T. Robillard. 1994. Expression, purification and kinetic characterization of the mannitol transport domain of the phosphoenolpyruvate-dependent mannitol phosphotransferase system of *Escherichia coli*. *J. Biol. Chem.* **269**, 17863-17871
- Bond, P.J., Cuthbertson, J.M., Deol, S.S., and M.S.P. Sansom. 2004. MD simulations of spontaneous membrane protein/detergent micelle formation. *J. Amer. Chem. Soc.* **126**, 15948-15949

-
- Booth, P.J.** 2005. Sane in the membrane: designing systems to modulate membrane proteins. *Curr. Opin. Struct. Biol.* **15**, 1-6
- Breidt, F., Hengstenberg, W., Finkeldei, U., and G.C. Stewart.** 1987. Identification of the genes for the lactose-specific components of the phosphotransferase system in the lac operon of *Staphylococcus aureus*. *J. Biol. Chem.* **262**, 16444-16449
- Briggs, C.E., Khandekar, S.S., and G.R. Jacobson.** 1992. Structure/function relationships in the *Escherichia coli* mannitol permease: identification of regions important for membrane insertion, substrate binding and oligomerization. *Res. Microbiol.* **143**, 139-149
- Broos, J., Gabellieri, E., Van Boxel, G.I., Jackson, J.B., and G.B. Strambini.** 2003. Tryptophan phosphorescence spectroscopy reveals that a domain in the NAD(H)-binding component (dI) of transhydrogenase from *Rhodospirillum rubrum* has an extremely rigid and conformationally homogeneous protein core. *J. Biol. Chem.* **278**, 47578-47584
- Broos, J., Maddalena, F., and B. Hesp.** 2004. In vivo synthesized proteins with monoexponential fluorescence decay kinetics. *J. Amer. Chem. Soc.* **126**, 22-23
- Broos, J., Pas, H.H., and G.T. Robillard.** 2002. The smallest resonance energy transfer acceptor for tryptophan. *J. Amer. Chem. Soc.* **124**, 6812-6813
- Broos, J., Strambini, G.B., Gonnelli, M., Vos, E.P.P., Koolhof, M., and G.T. Robillard.** 2000. Sensitive monitoring of the dynamics of a membrane-bound transport protein by tryptophan phosphorescence spectroscopy. *Biochemistry* **39**, 10877-10883
- Broos, J., Ten Hoeve-Duurkens, R.H., and G.T. Robillard.** 1998. A mechanism to alter reversibly the oligomeric state of a membrane-bound protein demonstrated with *Escherichia coli* EII^{mtl} in solution. *J. Biol. Chem.* **273**, 3865-3870
- Broos, J., Ter Veld, F., G.T. Robillard.** 1999. Membrane protein-ligand interactions in *Escherichia coli* vesicles and living cells monitored via a biosynthetically incorporated tryptophan analogue. *Biochemistry* **38**:9798-9803
- Buhr, A., and B. Erni.** 1993. Membrane topology of the glucose transporter of *Escherichia coli*. *J. Biol. Chem.* **268**, 11599-11603
- Builder, S.E., and I.H. Segel.** 1978. Equilibrium ligand binding assays using labeled substrates: nature of the errors introduced by radiochemical impurities. *Anal. Biochem.* **85**, 413-424
- Casey, J.R., and R.A.F. Reithmeier.** 1991. Analysis of the oligomeric state of Band 3, the anion transport protein of the human erythrocyte membrane, by size exclusion high performance liquid chromatography. Oligomeric stability and origin of heterogeneity. *J. Biol. Chem.* **266**, 15726-15737
- Chen, Y., Müller, J.D., So, P.T.C., and E. Gratton.** 1999. The photon counting histogram in fluorescence fluctuation spectroscopy. *Biophys. J.* **77**, 553-567
- Cioni, P., and G.B. Strambini.** 2002. Effect of heavy water on protein flexibility. *Biophys. J.* **82**, 3246-3253
- Cioni, P., De Waal, E., Canters, G.W., and G.B. Strambini.** 2004. Effects of cavity-forming mutations on the internal dynamics of azurin. *Biophys. J.* **86**, 1149-1159
- Cirri, P., Chiarugi, P., Camici, G., Manao, G., Raugei, G., Capuggi, G., and G. Ramponi.** 1993. The role of Cys12, Cys17 and Arg18 in the catalytic mechanism of low-M(r) cytosolic phosphotyrosine protein phosphatase. *Eur. J. Biochem.* **214**, 647-657

- Colowick, S.P., and F.C. Womack.** 1969. Binding of diffusible molecules by macromolecules: Rapid measurement by rate of dialysis. *J. Biol. Chem.* **244**:774-777
- DeLano, W.L.** 2004. The PyMOL molecular graphics system. DeLano scientific LLC, San Carlos, CA, USA.
- Doyle, D.A., Morais-Cabral, J., Pfuetzner, R.A., Kuo, A., Gulbis, J.M., Cohen, S.L., Chait, B.T., and R. MacKinnon.** 1998. The structure of the potassium channel: molecular basis of K⁺ conduction and selectivity. *Science* **280**, 69-77
- Drenth, E.H., and R.A. de Zeeuw.** 1982. Radiochemical purity control of radiolabeled drugs. *Int. J. Appl. Radiat. Isot.* **33**, 681-683
- Dutzler, R., Campbell, E.B., Cadene, M., Chait, B.T., and R. MacKinnon.** 2002. X-ray structure of a CIC chloride channel at 3.0 Å reveals the molecular basis of anion selectivity. *Nature* **415**, 287-294
- Eigen, M., and R. Rigler.** 1994. Sorting single molecules: application to diagnostics and evolutionary biotechnology. *Proc. Natl. Acad. Sci USA* **91**, 5740-5747
- Elferink, M.G.L., Driessen, A.J.M., and G.T. Robillard.** 1990. Functional reconstitution of the purified phosphoenolpyruvate-dependent mannitol-specific transport system of *Escherichia coli* in phospholipid vesicles: coupling between transport and phosphorylation. *J. Bacteriol.* **172**, 7119-7125
- England, P., and G. Hervé.** 1992. Synergistic inhibition of *Escherichia coli* aspartate transcarbamylase by CTP and UTP: binding studies using continuous-flow dialysis, *Biochemistry* **31**:9725-9732
- Erni, B.** 1986. Glucose-specific permease of the bacterial phosphotransferase system: phosphorylation and oligomeric structure of the glucose-specific IIGlc-IIIIGlc complex of *Salmonella typhimurium*. *Biochemistry* **25**, 305-312
- Erni, B., and B. Zanolari.** 1986. Glucose-permease of the bacterial phosphotransferase system. Gene cloning, overproduction, and amino acid sequence of enzyme IIGlc. *J. Biol. Chem.* **261**, 16398-16403
- Erni, B., Zanolari, B., Graff, P., and H.P. Kocher.** 1989. Mannose permease of *Escherichia coli*. Domain structure and function of the phosphorylating subunit. *J. Biol. Chem.* **264**, 18733-18741
- Erni, B., Zanolari, B., and H.P. Kocher.** 1987. The mannose permease of *Escherichia coli* consists of three different proteins. Amino acid sequence and function in sugar transport, sugar phosphorylation, and penetration of phage λ DNA. *J. Biol. Chem.* **262**, 5238-5247
- Feldmann, K.** 1978. New devices for flow dialysis and ultrafiltration for the study of protein-ligand interactions, *Anal. Biochem.* **88**:225-235
- Förster, T.** 1948. Zwischenmolekulare Energiewanderung und Fluoreszenz. *Ann. Phys.* **2**, 55-75
- Friesen, R.H., Knol, J., and B. Poolman.** 2000. Quaternary structure of the lactose transport protein of *Streptococcus thermophilus* in the detergent-solubilized and membrane-reconstituted state. *J. Biol. Chem.* **275**, 33527-33535
- Fu, D., Libson, A., Miercke, L.J.W., Weitzman, C., Nollert, P., Krucinski, J., and R.M. Stroud.** 2000. Structure of a glycerol-conducting channel and the basis for its selectivity. *Science* **290**, 481-486
- Fuchs, H., and R. Gessner.** 2001. The result of equilibrium-constant calculations strongly depends on the evaluation method used and on the type of experimental errors, *Biochem. J.* **359**:411-418

-
- Galley, W.C.** 1976. In *Concepts of Biochemical Fluorescence* (Edited by R.F. Chen and H. Edelhoch) Vol.2, Chapter 8, p409-439, Heterogeneity in protein emission spectra. Marcel Dekker, N.Y.
- Garavito, R.M., and D. Picot.** 1990. The art of crystallizing membrane proteins. *Methods: a companion to Methods in Enzymology* **26**, 106-112
- Garcia-Alles, L.F., Navdaeva, V., Haenni, S., and B. Erni.** 2002. The glucose-specific carrier of the *Escherichia coli* phosphotransferase system. *Eur. J. Biochem.* **269**, 4969-4980
- Geertsma, E.R., Duurkens, R.H., and B. Poolman.** 2005. Functional interactions between subunits of the lactose transporter from *Streptococcus thermophilus*. *J. Mol. Biol.* **350**, 102-111
- Gerchman, Y., Rimon, A., Venturi, M., and E. Padan.** 2001. Oligomerization of NhaA, the Na^+/H^+ -antiporter of *Escherichia coli* in the membrane and its functional and structural consequences. *Biochemistry* **40**, 3403-3412
- Ginsburg, A., and A. Peterkofsky.** 2002. Enzyme I: The gateway to the bacterial phosphoenolpyruvate:sugar phosphotransferase system. *Arch. Biochem. Biophys.* **397**, 273-278
- Gohon, Y., and J-L. Popot.** 2003. Membrane protein-surfactant complexes. *Curr. Opin. Coll. Interf. Sci.* **8**, 15-22
- Gonnelli, M., and G.B. Strambini.** 1995. Phosphorescence lifetime of tryptophan in proteins. *Biochemistry* **34**, 13847-13857
- Gonnelli, M., and G.B. Strambini.** 2005. Intramolecular quenching of Trp phosphorescence in short peptides and proteins. *Photochem. Photobiol.* **81**, 614-622
- Gösch, M., and R. Rigler.** 2005. Fluorescence correlation spectroscopy of molecular motions and kinetics. *Adv. Drug. Deliv. Rev.* **57**, 169-190
- Graefe, H., Gütschow, B., Gehring, H., and L. Döbbelt.** 2003. Sensitive and specific photometric determination of mannitol in human serum. *Clin. Chem. Lab. Med.* **41**, 1049-1055
- Grisafi, P.L., Scholle, A., Sugiyama, J., Briggs, C., Jacobson, G.R., and J.W. Lengeler.** 1989. Deletion mutants of the *Escherichia coli* K-12 mannitol permease: dissection of transport-phosphorylation, phospho-exchange, and mannitol-binding activities. *J. Bacteriol.* **171**, 2719-2727
- Gu, B., West, O.R., and R.L. Siegrist.** 1995. Using ^{14}C -labeled radiochemicals can cause experimental error in studies of the behavior of volatile organic compounds. *Environ. Sci. Technol.* **29**, 1210-1214
- Gunnewijk, M.G.W., Van den Bogaard, P.T., Veenhoff, L.M., Heuberger, E.M.H.L., De Vos, W.M., Kleerebezem, M., Kuipers, O.P., and B. Poolman.** 2001 Hierarchical control versus autoregulation of carbohydrate utilization in bacteria. *J. Mol. Microbiol. Biotechnol.* **3**, 401-413
- Gunnewijk, M.G.W., and B. Poolman.** 2000. Phosphorylation state of HPr determines the level of expression and the extent of phosphorylation of the lactose transport protein of *Streptococcus thermophilus*. *J. Biol. Chem.* **275**, 34073-34079
- Hacksell, I., Rigaud, J.-L., Purhonen, P., Pourcher, T., Hebert, H., and G. Leblanc.** 2002. Projection structure at 8 Å resolution of the melibiose permease, an Na-sugar co-transporter from *Escherichia coli*. *EMBO J.* **21**, 3569-3574
- Haris, P.I., Robillard, G.T., Van Dijk, A.A., and D. Chapman.** 1992. Potential of ^{13}C and ^{15}N labeling for studying protein-protein interactions using Fourier transform infrared spectroscopy. *Biochemistry* **31**, 6279-6284

- Haustein, E., and P. Schwille.** 2003. Ultrasensitive investigations of biological systems by fluorescence correlation spectroscopy. *Methods* **29**, 153-166
- Haustein, E., and P. Schwille.** 2004. Single-molecule spectroscopic methods. *Curr. Op. Struc. Biol.* **14**, 531-540
- Hebert, D.N., and A. Carruthers.** 1992. Glucose transporter oligomeric structure determines transporter function. Reversible redox-dependent interconversions of tetrameric and dimeric GLUT1. *J. Biol. Chem.* **267**, 23829-23838
- Heller, K.B., Lin, E.C.C., and T.H. Wilson.** 1980. Substrate specificity and transport properties of the glycerol facilitator of *Escherichia coli*. *J. Bacteriol.* **144**, 274-278
- Hellingwerf, K.J., and W.N. Konings.** 1980. Kinetic and steady-state investigations of solute accumulation in bacterial membranes by continuously monitoring the radioactivity in the effluent of flow-dialysis experiments. *Eur. J. Biochem.* **106**:431-437
- Herschberger, M.V., Maki, A.H., and W.C. Galley.** 1980. Phosphorescence and optically detected magnetic resonance studies of a class of anomalous tryptophan residues in globular proteins. *Biochemistry* **19**, 2204-2209
- Heuberger, H.M.L., Veenhoff, L.M., Duurkens, R.H., Friesen, R.H.E., and B. Poolman.** 2002. Oligomeric state of membrane transport proteins analyzed with blue native electrophoresis and analytical ultracentrifugation. *J. Mol. Biol.* **317**, 591-600
- Heymann, J.A.W., Sarker, R., Hirai, T., Shi, D., Milne, J.L.S., Maloney, P.C., and S. Subramaniam.** 2001. Projection structure and molecular architecture of OxlT, a bacterial membrane transporter. *EMBO J.* **20**, 4408-4413
- Hink, M.** 2002. In *Fluorescence correlation spectroscopy applied to living plant cells*. Thesis, 89-104.
- Hirai, T., and S. Subramaniam.** 2004. Structure and transport mechanism of the bacterial oxalate transporter OxlT. *Biophys. J.* **87**, 3600-3607
- Honoré, B.** 1987. Protein binding studies with radiolabeled compounds containing radiochemical impurities. *Anal. Biochem.* **162**, 80-88
- Huang, Y., Lemieux, M.J., Song, J., Auer, M., and D.-N. Wang.** 2003. Structure and mechanism of the glycerol-3-phosphate transporter from *Escherichia coli*. *Science* **301**, 616-620
- Hummel, U., Nuoffer, C., Zanolari, B., and B. Erni.** 1992. A functional protein hybrid between the glucose transporter and the N-acetylglucosamine transporter of *Escherichia coli*. *Protein Sci.* **1**, 356-362
- Hunte, C., Screpanti, E., Venturi, M., Rimón, A., Padan, E., and H. Michel.** 2005. Structure of a Na^+/H^+ antiporter and insights into mechanism of action and regulation by pH. *Nature* **435**, 1197-1202
- Iwamoto, T., Uehara, A., Imanaga, I., and M. Shigekawa.** 2000. The $\text{Na}^+/\text{Ca}^{2+}$ exchanger NCX1 has oppositely oriented reentrant loop domains that contain conserved aspartic acids whose mutation alters its apparent Ca^{2+} affinity. *J. Biol. Chem.* **275**, 38571-38580
- Jacobson, G.R., Lee, C.A., and M.H. Saier, Jr.** 1979. Purification of the mannitol-specific enzyme II of the *Escherichia coli* phosphoenolpyruvate sugar phosphotransferase system. *J. Biol. Chem.* **254**, 249-252

-
- Jones, D.T., Taylor, W.R., and J.M. Thornton.** 1992. The rapid generation of mutation data matrices from protein sequences. *Comput. Appl. Biosci.* **8**, 275-282
- Khandekar, S.S., and G.R. Jacobson.** 1989. Evidence for two distinct conformations of the *Escherichia coli* mannitol permease that are important for its transport and phosphorylation functions. *J. Cell. Biochem.* **39**, 207-216
- Konev, S.V.** 1967. *Fluorescence and phosphorescence of proteins and nucleic acids*, Plenum Press, New York.
- Koning, R.I., Keegstra, W., Oostergetel, G.T., Schuurman-Wolters, G.K., Robillard, G.T., and A. Brisson.** 1995. The 5 Å projection structure of the transmembrane domain of the mannitol transporter Enzyme II. *J. Mol. Biol.* **287**, 845-851
- Kroon, G.J.A., Grotzinger, J., Dijkstra, K., Scheek, R.M., and G.T. Robillard.** 1993. Backbone assignments and secondary structure of the *Escherichia coli* enzyme-II mannitol A-domain determined by heteronuclear 3-dimensional NMR spectroscopy. *Protein Sci.* **2**, 1331-1341
- Kundig, W., Ghosh, S., and S. Roseman.** 1964. Phosphate bound to histidine in a protein as an intermediate in a novel phosphotransferase system. *Proc. Natl. Acad. Sci. USA* **52**, 1067-1074
- Lakowicz, J.R.** 1999. *Principles of Fluorescence Spectroscopy*, Kluwer Academic-Plenum Publishers, New York, 2nd ed.
- Lanfermeijer, F.C., Picon, A., Konings, W.N., and B. Poolman.** 1999. Kinetics and consequences of binding of nona- and dodecapeptides to the oligopeptide binding protein (OppA) from *Lactococcus lactis*. *Biochemistry* **38**, 14440-14450
- Larsson, Å.** 1997. Regression analysis of simulated radio-ligand equilibrium experiments using seven different mathematical models, *J. Imm. Meth.* 206:135-142
- Lazareno, S., and N.J.M. Birdsall.** 2000. Effects of contamination on radioligand binding parameters. *TiPS* **21**, 57-60
- Lee, C.A., and M.H. Saier, Jr.** 1983. Mannitol-specific Enzyme II of the bacterial phosphotransferase system. III. The nucleotide sequence of the permease gene. *J. Biol. Chem.* **285**, 10761-10767
- Legler, P.M., Cai, M., Peterkofsky, A., and G.M. Clore.** 2004. Three-dimensional solution structure of the cytoplasmic B domain of the mannitol transporter II^{Mannitol} of the *Escherichia coli* phosphotransferase system. *J. Biol. Chem.* **279**, 39115-39121
- Le Maire, M., Champeil, P., and J.V. Møller.** 2000. Interaction of membrane proteins and lipids with solubilizing detergents. *Biochim. Biophys. Acta* **1508**, 86-111
- Lengeler, J.W.** 1990. Molecular analysis of the enzyme II-complexes of the bacterial phosphotransferase system (PTS) as carbohydrate transport systems. *Biochim. Biophys. Acta* **1018**, 155-159
- Lengeler, J.W., Jahrkreis, K., and U.F. Wehmeier.** 1994. Enzymes II of the phosphoenol-pyruvate-dependent phosphotransferase systems: their structure and function in carbohydrate transport. *Biochim. Biophys. Acta* **1188**, 1-28
- Lengeler, J.W., Titgemeyer, F., Vogler, A.P., and B.M. Wöhrle.** 1990. Structures and homologies of carbohydrate:phosphotransferase system (PTS) proteins. *Philos. Trans. R. Soc. Lond. B Biol. Sci.* **326**, 489-504

- Leonard, J.E., and M.H. Saier, Jr.** 1983. Mannitol-specific enzyme II of the bacterial phosphotransferase system. II. Reconstitution of vectorial transphosphorylation in phospholipid vesicles. *J. Biol. Chem.* **258**, 10757-10760
- Levdikov, V.M., Blagova, E.V., Brannigan, J.A., Wright, L., Vagin, A.A., and A.J. Wilkinson.** 2005. The structure of the oligopeptide-binding protein AppA, from *Bacillus subtilis* in complex with a nonapeptide. *J. Mol. Biol.* **345**, 879-892
- Liu, T., Callis, P.R., Hesp, B.H., De Groot, M., Buma, W.J., and J. Broos.** 2005. Ionization potentials of fluoroindoles and the origin of nonexponential tryptophan fluorescence decay in proteins. *J. Am. Chem. Soc.* **127**, 4104-4113
- Locher, K.P., Bass, R.B., and D.C. Rees.** 2003. Breaching the barrier. *Science* **301**, 603-604
- Lolkema, J.S.** 1993. A method to study complex enzyme kinetics involving numerical analysis of enzymatic schemes. *J. Biol. Chem.* **268**, 17850-17860
- Lolkema, J.S., Kuiper, H., Ten Hoeve-Duurkens, R.H., and G.T. Robillard.** 1993a. Mannitol-specific Enzyme II of the phosphoenolpyruvate-dependent phosphotransferase system of *Escherichia coli*: physical size of Enzyme II^{mtl} and its domain IIBA and IIC in the active state. *Biochemistry* **32**, 1396-1400
- Lolkema J.S., and G.T. Robillard.** 1990. Subunit structure and activity of the mannitol-specific Enzyme II of the *Escherichia coli* phosphoenolpyruvate-dependent phosphotransferase system solubilized in detergent. *Biochemistry* **29**, 10120-10125
- Lolkema J.S., and G.T. Robillard.** 1992. The enzymes II of the phosphoenolpyruvate-dependent carbohydrate transport system. *New Compr. Biochem.* **21**, 135-168
- Lolkema J.S., Swaving-Dijkstra, D., and G.T. Robillard.** 1992. Mechanics of solute translocation catalyzed by Enzyme II^{mtl} of the phosphoenolpyruvate-dependent phosphotransferase system of *Escherichia coli*. *Biochemistry* **3**, 5514-5521
- Lolkema, J.S., Swaving-Dijkstra, D., Ten Hoeve-Duurkens, R.H., and G.T. Robillard.** 1990. The membrane-bound domain of the phosphotransferase Enzyme II^{mtl} of *Escherichia coli* constitutes a mannitol translocation unit. *Biochemistry* **29**, 10659-10663
- Lolkema, J.S., Ten Hoeve-Duurkens, R.H., Swaving-Dijkstra, D., and G.T. Robillard.** 1991. Mechanistic Coupling of Transport and Phosphorylation Activity by Enzyme II^{mtl} of the *Escherichia coli* Phosphoenolpyruvate-Dependent Phosphotransferase System. *Biochemistry* **30**, 6716-6721
- Lolkema J.S., Ten Hoeve-Duurkens, R.H., and G.T. Robillard.** 1993b. Steady state kinetics of mannitol phosphorylation catalyzed by Enzyme II^{mtl} of the *Escherichia coli* phosphoenolpyruvate-dependent phosphotransferase system. *J. Biol. Chem.* **268**, 17844-17849
- Lolkema, J.S., Wartna, E.S., and G.T. Robillard.** 1993c. Binding of the substrate analogue perseitol to phosphorylated and unphosphorylated Enzyme II^{mtl} of the phosphoenolpyruvate-dependent phosphotransferase system of *Escherichia coli*, *Biochemistry* **32**:5848-5854
- MacKinnon, R.** 1995. Pore loops: an emerging theme in ion channel structure. *Neuron* **14**, 889-892
- Manayan, R., Tenn, G., Yee, H.B., Desai, J.D., Yamada, M., and M.H. Saier, Jr.** 1988. Genetic analysis of the mannitol permease of *Escherichia coli*: isolation and characterization of a transport-deficient mutant which retains phosphorylation activity. *J. Bacteriol.* **170**, 1290-1296
- Maniatis, T., Fritsch, E.F., and J. Sambrook.** 1982. Molecular cloning: a laboratory manual. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y.

-
- Manoil, C.** 1990. Analysis of protein localization by use of gene fusions with complementary properties. *J. Bacteriol.* **172**, 1035-1042
- Manoil, C., and J. Beckwith.** 1986. A genetic approach to analyzing membrane protein topology. *Science* **233**, 1403-1408
- Martin-Verstraete, I., Débarbouillé, M., Klier, A., and G. Rapoport.** 1990. Levanase operon of *Bacillus subtilis* includes a fructose-specific phosphotransferase system regulating the expression of the operon. *J. Mol. Biol.* **214**, 657-671
- Meadow, N.D., Fox, D.K., and S. Roseman.** 1990. The bacterial phosphoenolpyruvate:glucose phosphotransferase system. *Annu. Rev. Biochem.* **59**, 497-542
- Meijberg, W., Schuurman-Wolters, G.K., Boer, H., Scheek, R.M., and G.T. Robillard.** 1998a. The thermal stability and domain interactions of the mannitol permease of *Escherichia coli*: a differential scanning calorimetry study. *J. Biol. Chem.* **273**, 20785-20794
- Meijberg, W., Schuurman-Wolters, G.K., and G.T. Robillard.** 1998b. Thermodynamic evidence for conformational coupling between the B and C domains of the mannitol transporter of *Escherichia coli*, Enzyme II^{mtl}. *J. Biol. Chem.* **273**, 7949-7956
- Meins, M., Jenö, P., Müller, D., Richter, W.J., Rosenbusch, J.P., and B. Erni.** 1993. Cysteine phosphorylation of the glucose transporter of *Escherichia coli*. *J. Biol. Chem.* **268**, 11604-11609
- Meins, M., Zanolari, B., Rosenbusch, J., and B. Erni.** 1988. Glucose permease of *Escherichia coli*. Purification of the IIGlc subunit and functional characterization of its oligomeric forms. *J. Biol. Chem.* **263**, 12986-12993
- Merrill, E.J., and A.D. Lewis.** 1974. Purity of radiolabeled chemicals. *Anal. Chem.* **46**, 1114-1116
- Meseth, U., Wohland, T., Rigler, R., and H. Vogel.** 1999. Resolution of fluorescence correlation measurements. *Biophys. J.* **76**, 1619-1631
- Mitsuoka, K., Murata, K., Walz, T., Hirai, T., Agre, P., Heymann, J.B., Engel, A., and Y. Fujiyoshi.** 1999. The structure of aquaporin-1 at 4.5-Å resolution reveals short α -helices in the center of the monomer. *J. Struct. Biol.* **128**, 34-43
- Müller, J.D., Chen, Y., and E. Gratton.** 2000. Resolving heterogeneity on the single molecular level with photon-counting histogram. *Biophys. J.* **78**, 474-486
- Murakami, S., Nakashima, R., Yamashita, E., and A. Yamaguchi.** 2002. Crystal structure of bacterial multidrug efflux transporter AcrB. *Nature* **419**, 587-593
- Nikaido, H., and M.H. Saier, Jr.** 1992. Transport proteins in bacteria: common themes in their design. *Science* **258**, 936-942
- Nuoffer, C., Zanolari, B., and B. Erni.** 1988. Glucose permease of *Escherichia coli*. The effect of cysteine to serine mutations on the function, stability, and regulation of transport and phosphorylation. *J. Biol. Chem.* **263**, 6647-6655
- Otte, S., Scholle, A., Turgut, S., and J.W. Lengeler.** 2003. Mutations which uncouple transport and phosphorylation in the D-mannitol phosphotransferase system of *Escherichia coli* K-12 and *Klebsiella pneumoniae* 1033-5P14. *J. Bacteriol.* **185**, 2267-2276
- Pace, C.N., Vajdos, F., Fee, L., Grimsley, G., and T. Gray.** 1995. How to measure and predict the molar absorption coefficient of a protein. *Prot. Sci.* **4**, 2411-2423

- Pas, H.H., Ellory, J.C., and G.T. Robillard.** 1987. Bacterial phosphoenolpyruvate-dependent phosphotransferase system: association state of membrane-bound mannitol-specific enzyme II demonstrated by inactivation. *Biochemistry* **26**, 6689-6696
- Pas, H.H., Meyer, G.H., Kruizinga, W.H., Tamminga, K.S., Van Weeghel, R.P., and G.T. Robillard.** 1991. 31Phospho-NMR demonstration of phosphocysteine as a catalytic intermediate on the *Escherichia coli* phosphotransferase system EII^{mtl}. *J. Biol. Chem.* **266**, 6690-6692
- Pas, H.H., and G.T. Robillard.** 1988. S-Phosphocysteine and phosphohistidine are intermediates in the phosphoenolpyruvate-dependent mannitol transport catalyzed by *Escherichia coli* EII^{mtl}. *Biochemistry* **27**, 5835-5839
- Pas, H.H., Ten Hoeve-Duurkens, R.H., and G.T. Robillard.** 1988. Bacterial phosphoenolpyruvate-dependent phosphotransferase system: mannitol-specific EII contains two phosphoryl binding sites per monomer and one high-affinity mannitol binding site per dimer. *Biochemistry* **27**, 5520-5525
- Pau, S.S., Paulsen, I.T., and M.H. Saier, Jr.** 1998. Major facilitator superfamily. *Microbiol. Mol. Biol. Rev.* **62**, 1-34
- Pebay-Peyroula, E., Dahout-Gonzalez, C., Kahn, R., Trézéguet, V., Lauquin, G.J.-M., and G. Brandolin.** 2003. Structure of mitochondrial ADP/ATP carrier in complex with carboxyatractyloside. *Nature* **426**, 39-44
- Poolman, B., Doeven, M.K., Geertsma, E.R., Biemans-Oldehinkel, E., Konings, W.N., and D.C. Rees.** 2005. Functional analysis of detergent-solubilized and membrane-reconstituted ABC transporters. *Methods Enzym.* **400**, in press
- Poolman, B., and W.N. Konings.** 1993. Secondary solute transport in bacteria. *Biochim. Biophys. Acta* **1183**, 5-39
- Porumb, T.** 1994. Determination of calcium-binding constants by flow dialysis, *Anal. Biochem.* **220**:227-237
- Postma, P.W., and J.W. Lengeler.** 1985. Phosphoenolpyruvate:carbohydrate phosphotransferase system of bacteria. *Microbiol. Rev.* **49**, 232-269
- Postma, P.W., Lengeler, J.W., and G.R. Jacobson.** 1993. Phosphoenolpyruvate:carbohydrate phosphotransferase systems of bacteria. *Microbiol. Rev.* **57**, 543-594
- Preston, E., Foster, D.O., and P.A. Mills.** 1998. Effects of radiochemical impurities on measurements of transfer constants for [¹⁴C]sucrose permeation of normal and injured blood-brain barrier of rats. *Brain Res. Bull.* **45**, 111-116
- Prior, T.I., and H.L. Kornberg.** 1988. Nucleotide sequence of *fruA*, the gene specifying enzyme II^{Fru} of the phosphoenolpyruvate-dependent sugar phosphotransferase system in *Escherichia coli* K12. *J. Gen. Microbiol.* **134**, 2757-2768
- Reizer, J., Reizer, A., and M.H. Saier, Jr.** 1990. The cellobiose permease of *Escherichia coli* consists of three proteins and is homologous to the lactose permease of *Staphylococcus aureus*. *Res. Microbiol.* **141**, 1061-1067
- Rigler, R., Mets, Ü., Widengren, J., and P. Kask.** 1993. Fluorescence correlation spectroscopy with high count rate and low background: analysis of translational diffusion. *Eur. Biophys. J.* **22**, 169-175
- Robillard, G.T., and M. Blaauw.** 1987. Enzyme II of the *Escherichia coli* phosphoenolpyruvate-dependent phosphotransferase system: protein-protein and protein-phospholipid interactions. *Biochemistry* **26**, 5796-5803

-
- Robillard, G.T., Boer, H., Haris, P.I., Meijberg, W., Swaving-Dijkstra, D., Schuurman-Wolters, G.K., Ten Hoeve-Duurkens, R., Chapman, D., and J. Broos.** 1996. In *Handbook of biological physics* Vol. 2 (Series Editor A.J. Hoff), Transport processes in eukaryotic and prokaryotic organisms, p549-572 (Volume editors W.N. Konings, H.R. Kaback, and J.S. Lolkema), North-Holland, Elsevier
- Robillard, G.T., and J. Broos.** 1999. Structure/function studies on the bacterial carbohydrate transporters, enzyme II, of the phosphoenolpyruvate-dependent phosphotransferase system. *Biochim. Biophys. Acta* **1422**, 73-104
- Roossien, F.F., Blaauw, M., and G.T. Robillard.** 1984. Kinetics and subunit interaction of the mannitol-specific enzyme II of the *Escherichia coli* phosphoenolpyruvate-dependent phosphotransferase system. *Biochemistry* **23**, 4934-4939
- Roossien, F.F., Van Es-Spiekman, W., and G.T. Robillard.** 1986. Dimeric enzyme II^{mtl} of the *E. coli* phosphoenolpyruvate-dependent phosphotransferase system. Cross-linking studies with bifunctional sulfhydryl reagents, *FEBS Lett.* **196**, 284-290
- Roossien, F.F., and G.T. Robillard.** 1984. Mannitol-specific carrier protein from the *Escherichia coli* phosphoenolpyruvate-dependent phosphotransferase system can be extracted as a dimer from the membrane. *Biochemistry* **23**, 5682-5685
- Roseman, S.** 1969. The transport of carbohydrates by a bacterial phosphotransferase system. *J. Gen. Physiol.* **54**, 138S-180S
- Roseman, S.** 1989. Sialic acid, serendipity, and sugar transport: discovery of the bacterial phosphotransferase system. *FEMS Microbiol. Rev.* **5**, 3-11
- Roseman, S., and N.D. Meadow.** 1990. Signal transduction by the bacterial phosphotransferase system. Diauxie and the *crr* gene. *J. Biol. Chem.* **265**, 2993-2996
- Rovati, G.E., Rodbard, D., and P.J. Munson.** 1988. DESIGN: Computerized optimization of experimental design for estimating K_d and B_{max} in ligand binding experiments, *Anal. Biochem.* **174**:636-649
- Sahin-Toth, M., Lawrence, M.C., and H.R. Kaback.** 1994. Properties of permease dimer, a fusion protein containing two lactose permease molecules from *Escherichia coli*. *Proc. Natl. Acad. Sci. U.S.A.* **91**, 5421-5425
- Saier, M.H., Jr.** 1980. Catalytic activities associated with the enzymes II of the bacterial phosphotransferase system. *J. Supramol. Struct.* **14**, 281-294
- Saier, M.H., Jr.** 1993. Introduction: protein phosphorylation and signal transduction in bacteria. *J. Cell. Biochem.* **51**, 1-6
- Saier, M.H., Jr., and J. Reizer.** 1992. Proposed uniform nomenclature for the proteins and protein domains of the bacterial phosphoenolpyruvate:sugar phosphotransferase system. *J. Bacteriol.* **174**, 1433-1438
- Saitou, N., and M. Nei.** 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol. Biol. Evol.* **4**, 406-425
- Sanchez, J.** 1998. Colorimetric assay of alditols in complex biological samples. *J. Agric. Food Chem.* **46**, 157-160

- Saraceni-Richards, C.A., and G.R. Jacobson.** 1997a. A conserved glutamate residue, Glu-257, is important for substrate binding and transport by the *Escherichia coli* mannitol permease. *J. Bacteriol.* **179**, 1135-1142
- Saraceni-Richards, C.A., and G.R. Jacobson.** 1997b. Subunit and amino acid interactions in the *Escherichia coli* mannitol permease: a functional complementation study of coexpressed mutant permease proteins. *J. Bacteriol.* **179**, 5171-5177
- Saviotti, M.L., and W.C. Galley.** 1974. Room temperature phosphorescence and the dynamic aspects of protein structure. *Proc. Natl. Acad. Sci. USA* **71**, 4154-4158
- Schumacher, C., and V. von Tscharner.** 1994. Practical instructions for radioactively labeled ligand receptor binding studies, *Anal. Biochem.* **222**:262-269
- Schwille, P., Meyer-Almes, F.J., and R. Rigler.** 1997. Dual-color fluorescence cross-correlation spectroscopy for multicomponent diffusional analysis in solution. *Biophys. J.* **72**, 1878-1886
- Seddon, A.M., Curnow, P., and P.J. Booth.** 2004. Membrane proteins, lipids and detergents: not just a soap opera. *Biochim. Biophys. Acta* **1666**, 105-117
- Segel, I.H.** 1994. The effects of labeled and unlabeled impurities on the analysis of equilibrium binding and initial velocity data by means of scatchard plots. *J. Theor. Biol.* **171**, 267-280
- Selvin, P.R.** 1995. Fluorescence Resonance Energy Transfer. *Methods. Enzymol.* **246**, 300-334
- Singer, S.J., and G.L. Nicolson.** 1972. The fluid mosaic model of the structure of cell membranes. *Science* **175**, 720-731
- Sobczak, I., and J.S. Lolkema.** 2004. Alternating access and a pore-loop structure in the Na⁺-citrate transporter CitS of *Klebsiella pneumoniae*. *J. Biol. Chem.* **279**, 31113-31120
- Sobczak, I., and J.S. Lolkema.** 2005. Structural and mechanistic diversity of secondary transporters. *Curr. Opin. Microbiol.* **8**, 161-167
- Sonnhammer, E.L., Von Heijne, G., and A. Krogh.** 1998. A hidden Markov model for predicting transmembrane helices in protein sequences. *Proc. Int. Conf. Intell. Syst. Mol. Biol.* **6**, 175-182
- Stephan, M.M., and G.R. Jacobson.** 1986a. Subunit interactions of the *Escherichia coli* mannitol permease: correlation with enzyme activities. *Biochemistry* **25**, 4046-4051
- Stephan, M.M., and G.R. Jacobson.** 1986b. Membrane disposition of the *Escherichia coli* mannitol permease: identification of membrane-bound and cytoplasmic domains. *Biochemistry* **25**, 8230-8234
- Stephan, M.M., Khandekar, S.S., and G.R. Jacobson.** 1989. Hydrophilic C-terminal domain of the *Escherichia coli* mannitol permease: phosphorylation, functional independence, and evidence for intersubunit phosphotransfer. *Biochemistry* **28**, 7941-7946
- Strambini, G.B.** 1989. Tryptophan phosphorescence as monitor of protein flexibility. *J. Mol. Liq.* **42**, 155-165
- Strambini, G.B., and M. Gonnelli.** 1985. The indole nucleus triplet-state lifetime and its dependence on solvent microviscosity. *Chem. Phys. Lett.* **115**, 196-200
- Strambini, G.B., and M. Gonnelli.** 1995. Tryptophan phosphorescence in fluid solution. *J. Am. Chem. Soc.* **117**, 7646-7651

-
- Strambini, G.B., Kerwin, A.B., Mason, D.B., and M. Gonnelli.** 2004. The triplet-state lifetime of indole derivatives in aqueous solutions. *Photochem. Photobiol.* **80**, 462-470
- Sugiyama, J.E., Mahmoodian, S., and G.R. Jacobson.** 1991. Membrane topology analysis of the *Escherichia coli* mannitol permease by using a nested deletion method to create *mtlA-phoA* fusions. *Proc. Natl. Acad. Sci. USA* **88**, 9603-9607
- Swaving-Dijkstra, D., Broos, J., Lolkema, J.S., Enequist, H., Minke, W., and G.T. Robillard.** 1996a. A fluorescence study of single tryptophan-containing mutants of EnzymeII^{mtl} of the *Escherichia coli* phosphoenolpyruvate-dependent mannitol transport system. *Biochemistry* **35**, 6628-6634
- Swaving-Dijkstra, D., Broos, J., and G.T. Robillard.** 1996b. Membrane proteins and impure detergents: Procedures to purify membrane proteins to a degree suitable for tryptophan fluorescence spectroscopy. *Anal. Biochem.* **240**, 142-147
- Swaving-Dijkstra, D., Broos, J., Visser, A.J.W.G., Van Hoek, A., and G.T. Robillard.** 1997. Dynamic fluorescence spectroscopy on single tryptophan mutants of EII^{mtl} in detergent micelles. Effects of substrate binding and phosphorylation on the fluorescence and anisotropy decay. *Biochemistry* **36**, 4860-4866
- Szabo, A.G., and D.M. Rayner.** 1980. Fluorescence decay of tryptophan conformers in aqueous solution. *J. Am. Chem. Soc.* **102**, 554-563
- Tame, J.R.H., Murshudov, G.N., Dodson, E.J., Neil, T.K., Dodson, G.G., Higgins, C.F., and A.J. Wilkinson.** 1994. The structural basis of sequence-independent peptide binding by OppA protein. *Science* **264**, 1578-1581
- Tate, C.G., Kunji, E.R.S., Lebendiker, M., and S. Schuldiner.** 2001. The projection structure of EmrE, a proton-linked multidrug transporter from *Escherichia coli*, at 7 Å resolution. *EMBO J.* **20**, 77-81
- Ubarretxena-Belandia, I., and C.G. Tate.** 2004. New insights into the structure and oligomeric state of the bacterial multidrug transporter EmrE: an unusual asymmetric homo-dimer. *FEBS Lett.* **564**, 234-238
- Vanderkooi, J.M.** 1992. Tryptophan phosphorescence from proteins at room temperature. In Topics in Fluorescence Vol.3, Biochemical Application Ed. Lakowicz, J.R., Plenum Publishing Corporation, p113-136
- Van der Meer, B.W., Coker III, G., Chen, S.Y.** 1994. *Resonance Energy Transfer*, VCH, New York
- Van Montfort, R.L.M., and B.W. Dijkstra.** 1998. The functional importance of structural differences between the mannitol-specific IIA^{mannitol} and the regulatory IIA^{nitrogen}. *Protein Sci.* **7**, 2210-2216
- Van Montfort, R.L.M., Pijning, T., Kalk, K.H., Hangyi, I., Kouwijzer, M.I.C.E., Robillard, G.T., and B.W. Dijkstra.** 1998. The structure of the *Escherichia coli* phosphotransferase IIA mannitol reveals a novel fold with two conformations of the active site. *Structure* **6**, 377-388
- Van Montfort, R.L.M., Pijning, T., Kalk, K.H., Reizer, J., Saier, Jr., M.H., Thunnissen, M.M.G.M., Robillard, G.T., and B.W. Dijkstra.** 1997. The structure of an energy-coupling protein from bacteria, IIBcellobiose, reveals similarity to eukaryotic protein tyrosine phosphatases. *Structure (London)* **5**, 217-225
- Van Montfort, B.A., Schuurman-Wolters, G.K., Duurkens, R.H., Mensen, R., Poolman, B., and G.T. Robillard.** 2001. Cysteine cross-linking defines part of the dimer and B/C domain interface of the *Escherichia coli* mannitol permease. *J. Biol. Chem.* **276**, 12756-12763

- Van Montfort, B.A., Schuurman-Wolters, G.K., Wind, J., Broos, J., G.T. Robillard, and B. Poolman.** 2002. Mapping of the dimer interface of the *Escherichia coli* mannitol permease by cysteine cross-linking. *J. Biol. Chem.* **277**, 14717-14723
- Van Weeghel, R.P., Van der Hoek, Y.Y., Pas, H.H., Elferink, M., Keck, W., and G.T. Robillard.** 1991a. Details of mannitol transport in *Escherichia coli* elucidated by site-specific mutagenesis and complementation of phosphorylation site mutants of the phosphoenolpyruvate-dependent mannitol-specific phosphotransferase system. *Biochemistry* **30**, 1768-1773
- Van Weeghel, R.P., Meyer, G.H., Keck, W., and G.T. Robillard.** 1991b. Phosphoenolpyruvate-dependent mannitol phosphotransferase system of *Escherichia coli*: overexpression, purification, and characterization of the enzymatically active C-terminal domain of Enzyme II^{mtl} equivalent to Enzyme III^{mtl}. *Biochemistry* **30**, 1774-1779
- Veenhoff, L.M., Heuberger, E.H.M.L., and B. Poolman.** 2001. The lactose transport protein is a cooperative dimer with two sugar translocation pathways. *EMBO J.* **20**, 3056-3062
- Veenhoff, L.M., Heuberger, E.H.M.L., and B. Poolman.** 2002. Quaternary structure and function of transport proteins. *Trends Biochem. Sci.* **27**, 242-249
- Veldhuis, G., Vos, E.P.P., Broos, J., Poolman, B., and R.M. Scheek.** 2004. Evaluation of the flow-dialysis technique for analysis of protein-ligand interactions: An experimental and a Monte Carlo study. *Biophys. J.* **86**, 1959-1968
- Veldhuis, G., Broos, J., Poolman, B., and R.M. Scheek.** 2005a. Stoichiometry and substrate affinity of the mannitol transporter, EnzymeII^{mtl}, from *Escherichia coli*. *Biophys. J.*, **89**, 201-210
- Veldhuis, G., Gabellieri, E., Vos, E.P.P., Poolman, B., Strambini, G.B., and J. Broos.** 2005b. Substrate-induced conformational changes in the membrane-embedded IIC^{mtl}-domain of the mannitol permease from *Escherichia coli*, EnzymeII^{mtl}, probed by tryptophan phosphorescence spectroscopy. *J. Biol. Chem.*, **280**, 35148-35156
- Vervoort, E.B., Bultema, J.B., Schuurman-Wolters, G.K., Geertsma, E.R., Broos, J., and B. Poolman.** 2005. The first cytoplasmic loop of the mannitol permease from *Escherichia coli* is accessible for sulfhydryl reagents from the periplasmic side of the membrane. *J. Mol. Biol.* **346**, 733-743
- Waeber, U., Buhr, A., Schunk, T., and B. Erni.** 1993. The glucose transporter of *Escherichia coli*. Purification and characterization by Ni²⁺ chelate affinity chromatography of the IIBC^{glc} subunit. *FEBS Letters* **324**, 109-112
- Weng, Q.-P., Elder, J., and G.R. Jacobson.** 1992. Site-specific mutagenesis of residues in the *Escherichia coli* mannitol permease that have been suggested to be important for its phosphorylation and chemoreception functions. *J. Biol. Chem.* **267**, 19529-19535
- Weng, Q.-P., and G.R. Jacobson.** 1993. Role of a conserved histidine residue, His-195, in the activities of the *Escherichia coli* mannitol permease. *Biochemistry* **32**, 11211-11216
- Westerhoff, H.V., Wiechmann, A.H.C.A., Van Dam, K., and K.J. Hellingwerf.** 1989. On the evaluation of data from flow-dialysis experiments, *J. Biochem. Biophys. Meth.* **18**:53-64
- White, D.W., and G.R. Jacobson.** 1990. Molecular cloning of the C-terminal domain of *Escherichia coli* D-mannitol permease: expression, phosphorylation, and complementation with C-terminal permease deletion mutants. *J. Bacteriol.* **172**, 1509-1515
- Williams, K.A., Geldmacher-Kaufer, U., Padan, E., Schuldiner, S., and W. Kühlbrandt.** 1999. Projection structure of NhaA, a secondary transporter from *Escherichia coli*, at 4 Å resolution. *EMBO J.* **18**, 3558-3563

-
- Womack, F.C., and S.P. Colowick.** 1973. Rapid measurement of binding of ligands by rate of dialysis. *Methods Enzymol.* **27**:464-471
- Yagur-Kroll, S., and O. Amster-Choder.** 2005. Dynamic membrane topology of the *Escherichia coli* β -glucoside transporter BglF. *J. Biol. Chem.* **280**, 19306-19318
- Yamada, M. and M.H. Saier, Jr.** 1987. Glucitol-specific enzymes of the phosphotransferase system in *Escherichia coli*. Nucleotide sequence of the *gut* operon. *J. Biol. Chem.* **262**, 5455-5463
- Yernool, D., Boudker, O., Jin, Y., and E. Gouaux.** 2004. Structure of a glutamate transporter homologue from *Pyrococcus horikoshii*. *Nature* **431**, 811-818
- Yin, C.C., Aldema-Ramos, M.L., Borges-Walmsley, M.I., Taylor, R.W., Walmsley, A.R., Levy, S.B., and P.A. Bullough.** 2000. The quaternary molecular architecture of TetA, a secondary tetracycline transporter from *Escherichia coli*. *Mol. Microbiol.* **38**, 482-492
- Zagorec, M., and P.W. Postma.** 1992. Cloning and nucleotide sequence of the *ptsG* gene of *Bacillus subtilis*. *Mol. Gen. Genet* **234**, 325-328
- Zheng, L., Kostrewa, D., Bernèche, S., Winkler, F.K., and X.-D. Li.** 2004. The mechanism of ammonia transport based in the crystal structure of AmtB of *Escherichia coli*. *Proc. Natl. Acad. Sci.* **101**, 17090-17095
- Zhuang, J., Gutknecht, R., Flükiger, K., Hasler, L., Erni, B., and A. Engel.** 1999. Purification and electron microscopic characterization of the membrane subunit (IICB^{Glc}) of the *Escherichia coli* glucose transporter. *Arch. Biochem. Biophys.* **372**, 89-96
- Zulauf, M.** 1991. In *Crystallization of Membrane Proteins* (Michel, H., ed) p53-72, CRC Press, Boca Raton, FL